



DIGITAL SIGNAGE
MANUFACTURER

Display your Brand to the World with
CMAC Digital Signage



GLOBAL DIGITAL SIGNAGE
PRODUCTS and SOLUTIONS



Since 2010

Shenzhen CMAC Technology Co.,Ltd



At CMAC,

We provide global DIGITAL SIGNAGE
PRODUCTS and SOLUTIONS

Our mission is "Display your Brand to the World with CMAC Digital Signage.", which make us unique. Within 15 years, our insight has led us to grow from a single factory in China to a growing global network with presence in over 30 countries. Our passion is people—our customers, our team and our partners. Working together. We can positively impact sustainability through our products and solutions. Through intelligence and insights, our focus is on improving the wellbeing of people. Innovation is at the heart of what we do. No matter what the next 15 years will bring, we are on a mission to create "Digital Signage"—Display your Brand to the World with CMAC Digital Signage.
Here's to the NEXT10 years!

Why CMAC?

We have a product manufacturing base.

We have independent product design ideas and capabilities.

We are an excellent team that dares to break through the routine.


We will provide a full range of product training and technical training.

15+ foreign trade experience local full service content.

Wall-Mounted LCD AD Display

N202 Series

32"-100"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification

Wall-Mounted LCD AD Display	
LCD size(inch)	32" 43" 50" 55" 65" 75" 85" 98" 100"
Resolution	1366*768/1920*1080/3840*2160
Brightness	300~700cd/m ² (Typ.)
Backlight	DLED
OS	Andriod
Touch	No
Network	WIFI/RJ45

More pictures



D225 Series

32"- 98"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control




IR controller

Product Specification

Ultra-narrow & thin Wall-Mounted AD Display	
LCD size(inch)	32" 43" 50" 55" 65" 75" 85" 98"
Resolution	1920*1080/3840*2160
Brightness	300~700cd/m ² (Typ.)
Backlight	ELED
OS	Andriod
Touch	No
Network	WIFI/RJ45

More pictures



Wall-Mounted AD Display

D226/D227 Series 32"-98"



Windows/Android




High definition



Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification

Wall-Mounted AD Display

LCD size(inch)	32" 43" 50" 55" 65" 75" 85" 98"
Resolution	1920*1080/3840*2160
Brightness	300~700cd/m ² (Typ.)
Backlight	ELED
OS	Andriod
Touch	Capacitive touch / Infrared touch (optional)
Network	WIFI/RJ45

More pictures



D2414 Series

32"-86"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control




IR controller

Product Specification

High Brightness Window Advertising Machine

LCD size(inch)	32" 43" 55" 65" 75" 86"
Resolution	1920*1080/3840*2160
Brightness	1000~4000cd/m ² (Typ.)
Backlight	DLED/Mini LED (Local dimming)
OS	Andriod/Windows
Touch	Capacitiven touch / Infrared touch (optional)
Network	WIFI/RJ45

More pictures



D2431 Series

43"- 100"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification


Wall-Mounted(OPS optional) LCD AD Display

LCD size(inch)	43" 50" 55" 65" 75" 85" 98" 100"
Resolution	1920*1080/3840*2160
Brightness	350~1500cd/m ² (Typ.)
Backlight	DLED (OD12)
OS	Andriod/Windows
Touch	Capacitive touch /Infrared touch (optional)
Network	WIFI/RJ45

More pictures



Bathroom TV LCD AD Display

D254 Series
18.5" - 55"


Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification

Bathroom TV LCD AD Display							
LCD size(inch)	18.5"	21.5"	24"	32"	43"	50"	55"
Resolution	1920*1080/3840*2160						
Brightness	250~500cd/m ² (Typ.)						
Backlight	ELED/DLED						
OS	Multiple operating systems(optional configuration)						
Touch	Capacitive touch (optional)						
Network	WIFI/RJ45						

More pictures



D255 Series

43" - 86"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control




IR controller

Product Specification

Fully/Semi Outdoor TV AD Display (Direct /Partial sunlight exposure / no direct sunlight)

LCD size(inch)	43"	55"	65"	75"	86"
Resolution	1920*1080/3840*2160				
Brightness	700~4000cd/m ² (Typ.)				
Backlight	DLED				
OS	Andriod				
Touch	No				
Network	WIFI/RJ45				


More pictures



Compact All-in-One Display

D258 Series

10.1" - 23.8"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification


Compact All-in-One Display								
LCD size(inch)	10.1"	12.1"	13.3"	15.6"	17"	19"	21.5"	23.8"
Resolution	1366*768/1920*1080							
Brightness	250~2000cd/m ² (Typ.)							
Backlight	LED							
OS	Andriod							
Touch	Capacitive touch (optional)							
Network	WIFI/RJ45							

More pictures



F226/F248 Series

43"- 98"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control




IR controller

Product Specification


Indoor Freestanding LCD AD Display						
LCD size(inch)	43"	55"	65"	75"	86"	98"
Resolution	1920*1080/3840*2160					
Brightness	300~4000cd/m ² (Typ.)					
Backlight	ELED/DLED/Mini LED (Local diming)					
OS	Andriod/Windows					
Touch	Capacitive touch / Infrared touch (optional)					
Network	WIFI/RJ45					

More pictures



F254 Series

62"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification

LED Floor-Standing AD Display				
Pixel pitch	P1.53	P1.86	P2	P2.5
Resolution	256*1024 etc.			
Brightness	600~4000cd/m ² (Typ.)			
Backlight	LED			
OS	/			
Touch	No			
Network	WIFI/RJ45			

More pictures



Dual-Post Floor-Standing AD Display

F255/F256 Series

43" - 65"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification

Dual-Post Floor-Standing AD Display

LCD size(inch)	43" 50" 55" 65"
Resolution	1920*1080/3840*2160
Brightness	300~500cd/m ² (Typ.)
Backlight	ELED
OS	/
Touch	No
Network	WIFI/RJ45

More pictures



F257 Series

27"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control




IR controller

Product Specification

Smart Podium AD Display	
LCD size(inch)	27"
Resolution	1920*1080
Brightness	250~400cd/m ² (Typ.)
Backlight	DLED
OS	Andriod/Windows
Touch	Capacitive touch
Network	WIFI/RJ45

More pictures



Curved LCD AD Display

J/C/S231 Series

43" - 75"



Windows/Android



High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control




IR controller

Product Specification

Curved LCD AD Display					
LCD size(inch)	43"	50"	55"	65"	75"
Resolution	1920*1080/3840*2160				
Brightness	300cd/m ² (Typ.)				
Backlight	ELED				
OS	Stand-alone/Andriod/Windows				
Touch	Capacitive touch/Infrared touch				
Network	WIFI/RJ45				

More pictures



OD231 Series

43" - 86"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification

Outdoor Wall-Mount LCD AD Display						
LCD size(inch)	43"	50"	55"	65"	75"	86"
Resolution	1920*1080/3840*2160					
Brightness	1000~4000cd/m ² (Typ.)					
Backlight	DLED					
OS	Andriod/Windows					
Touch	Capacitive touch (optional)					
Network	WIFI/RJ45					

More pictures



OF231 Series

43"- 86"



Windows/Android




High definition



Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control




IR controller

Product Specification

Outdoor Freestanding LCD AD Display

LCD size(inch)	43" 50" 55" 65" 75" 86"
Resolution	1920*1080/3840*2160
Brightness	1000~4000cd/m ² (Typ.)
Backlight	DLED
OS	Andriod/Windows
Touch	Capacitive touch (optional)
Network	WIFI/RJ45

More pictures



P215 Series

32" - 55"



Windows/Android



High definition



Split screen



Network



Bluetooth



Stereo audio



Customizable



Touch



Remote control




IR controller

Product Specification

Indoor A-Boards LCD AD Display			
LCD size(inch)	32"	43"	55"
Resolution	1920*1080/3840*2160		
Brightness	300~700cd/m ² (Typ.)		
Backlight	ELED/DLED		
OS	Andriod		
Touch	Capacitive touch (optional)		
Network	WIFI/RJ45		

More pictures



P22 Series

43"- 65"



Windows/Android




High definition



Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification

LCD Vedio Wall	
LCD size(inch)	43" 46" 49" 55" 65"
Resolution	1920*1080/3840*2160
Brightness	500~700cd/m ² (Typ.)
Backlight	DLED
OS	/
Touch	No
Network	WIFI/RJ45

More pictures



W231 Series

55"-110"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification

Conference Interactive Flat Panel

LCD size(inch)	55"	65"	75"	85"	98"	110"
Resolution	1920*1080/3840*2160					
Brightness	350~500cd/m ² (Typ.)					
Backlight	DLED					
OS	Andriod/Windows					
Touch	Infrared touch (optional)					
Network	WIFI/RJ45					

More pictures



Tabletop Ordering AD Display

X242 Series

18.5" - 23.8"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification

Tabletop Ordering AD Display				
LCD size(inch)	18.5"	21.5"	23.8"	
Resolution	1920*1080/3840*2160			
Brightness	700~900cd/m ² (Typ.)			
Backlight	DLED			
OS	Andriod			
Touch	No			
Network	WIFI/RJ45			

More pictures



X251 Series

43.8"



Windows/Android



High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification

Outdoor LED Bar Screen AD Display

LCD size(inch)	43.8"
Resolution	3840*2160
Brightness	2500cd/m ² (Typ.)
Backlight	LED
OS	Andriod
Touch	No
Network	WIFI/RJ45

More pictures



OLED Transparent Screen Display

F261 Series

30"-55"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification

OLED Transparent Screen Display	
LCD size(inch)	30" 55"
Resolution	1366*768/1920*1080
Brightness	350~600cd/m ² (Typ.)
Backlight	NO
OS	Andriod/Windows
Touch	Infrared touch (optional)
Network	WIFI/RJ45

More pictures



F262 Series

21.5"-86"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control




IR controller

Product Specification

LCD Transparent Screen Display				
LCD size(inch)	21.5"	55"	75"	86"
Resolution	1920*1080/3840*2160			
Brightness	150~400cd/m ² (Typ.)			
Backlight	LED			
OS	Andriod/Windows			
Touch	Infrared touch (optional)			
Network	WIFI/RJ45			


More pictures



LED Display Module

D262 Series

P0.7/P0.9/etc.



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control




IR controller

Product Specification

LED Display Module	
SPEC	P0.7 P0.9 P1.8 P2 etc.
Resolution	768*432/640*360/etc.
Brightness	800~4000cd/m ² (Typ.)
Backlight	NO
OS	Andriod/Windows
Touch	Infrared touch (optional)
Network	WIFI/RJ45

More pictures



Triage doorplate terminal (flat type)

D253 Series

13.3"~43"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification


Triage doorplate terminal (flat type)	
LCD size(inch)	13.3" 15.6" 18.5" 21.5" 23.6" 23.8" 27" 32" 43"
Resolution	1366*768/1920*1080
Brightness	200~500cd/m ² (Typ.)
Backlight	LED
OS	Andriod/Windows
Touch	capacitive touch (optional)
Network	WIFI/RJ45

More pictures



D2426 Series

18.5"~32"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification

Elevator advertising terminal	
LCD size(inch)	18.5" ~ 32"
Resolution	1366*768/1920*1080
Brightness	200~350cd/m ² (Typ.)
Backlight	LED
OS	Andriod/Windows
Touch	capacitive touch (optional)
Network	WIFI/RJ45

More pictures



D216 Series

10.1"~100"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification

Painted Screen · Electronic slogan screen	
LCD size(inch)	10.1" ~ 100"
Resolution	1366*768/1920*1080/3840*2160
Brightness	200~350cd/m ² (Typ.)
Backlight	LED
OS	Andriod/Windows
Touch	capacitive touch (optional)
Network	WIFI/RJ45

More pictures



D176 Series

15.6"~24"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control




IR controller

Product Specification

Vehicle-mounted advertising terminal	
LCD size(inch)	15.6" ~ 24"
Resolution	1366*768/1920*1080
Brightness	200~350cd/m ² (Typ.)
Backlight	LED
OS	Andriod/Windows
Touch	capacitive touch (optional)
Network	WIFI/RJ45

More pictures



D218 Series**10.1"~32"**

Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification

Industrial control · External embedded display terminal	
LCD size(inch)	10.1" ~ 32"
Resolution	1366*768/1920*1080
Brightness	200~350cd/m ² (Typ.)
Backlight	LED
OS	Andriod/Windows
Touch	capacitive touch (optional)
Network	WIFI/RJ45

More pictures



D219 Series

10.1"~32"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification

Industrial Control · External Embedded Scanning Terminal	
LCD size(inch)	10.1" ~ 32"
Resolution	1366*768/1920*1080
Brightness	200~350cd/m ² (Typ.)
Backlight	LED
OS	Andriod/Windows
Touch	capacitive touch (optional)
Network	WIFI/RJ45

More pictures



D220 Series**10.1"~65"**

Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification

Industrial control · Embedded display terminal	
LCD size(inch)	10.1" ~ 32"
Resolution	1366*768/1920*1080
Brightness	200~350cd/m ² (Typ.)
Backlight	LED
OS	Andriod/Windows
Touch	capacitive touch (optional)
Network	WIFI/RJ45

More pictures



F216 Series

32"~100"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification

Tilt-stand touch display terminal	
LCD size(inch)	32" ~ 100"
Resolution	1920*1080/3840*2160
Brightness	350~500cd/m ² (Typ.)
Backlight	LED
OS	Andriod/Windows
Touch	capacitive /IR touch (optional)
Network	WIFI/RJ45

More pictures



F223 Series

18.5"~65"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification

Mirror display terminal	
LCD size(inch)	32" ~ 100"
Resolution	1920*1080/3840*2160
Brightness	350~500cd/m ² (Typ.)
Backlight	LED
OS	Andriod/Windows
Touch	capacitive /IR touch (optional)
Network	WIFI/RJ45

More pictures



F217 Series

43"~55"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification

Smart touch table	
LCD size(inch)	43" ~ 55"
Resolution	1920*1080/3840*2160
Brightness	350~500cd/m ² (Typ.)
Backlight	LED
OS	Andriod/Windows
Touch	capacitive /IR touch (optional)
Network	WIFI/RJ45

More pictures



F218 Series

18.5"~110"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification

Electronic sand table - digital sand table	
LCD size(inch)	18.5" ~ 110"
Resolution	1920*1080/3840*2160
Brightness	350~500cd/m ² (Typ.)
Backlight	LED
OS	Andriod/Windows
Touch	/IR touch (optional)
Network	WIFI/RJ45

More pictures



D222 Series

18.5"~32"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification

Smart class signage terminal	
LCD size(inch)	18.5" ~ 32"
Resolution	1920*1080
Brightness	350~500cd/m ² (Typ.)
Backlight	LED
OS	Andriod/Windows
Touch	capacitive touch (optional)
Network	WIFI/RJ45

More pictures



F219 Series

18.5"~43"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification

Bank-Medical Self-Service Terminal	
LCD size(inch)	18.5" ~ 43"
Resolution	1920*1080
Brightness	350~500cd/m ² (Typ.)
Backlight	LED
OS	Andriod/Windows
Touch	capacitive touch (optional)
Network	WIFI/RJ45

More pictures



F220 Series

21.5"~55"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

Product Specification

Ticket call number terminal for queuing	
LCD size(inch)	21.5" ~ 55"
Resolution	1920*1080
Brightness	350~500cd/m ² (Typ.)
Backlight	LED
OS	Andriod/Windows
Touch	capacitive touch (optional)
Network	WIFI/RJ45











More pictures



F221 Series

21.5"~55"




- 
Windows/Android
- 
High definition
- 
Split screen
- 
Network
- 
Bluetooth
- 
Stereo audio
- 
Customizable
- 
Touch
- 
Remote control
- 
IR controller

Product Specification

Self-service terminal for ordering and payment	
LCD size(inch)	21.5" ~ 55"
Resolution	1920*1080
Brightness	350~500cd/m²(Typ.)
Backlight	LED
OS	Andriod/Windows
Touch	capacitive touch (optional)
Network	WIFI/RJ45

More pictures



CHINA CMAAC

TALK TO US
ABOUT
YOUR NEXT PROJECT



Shenzhen CMAAC Technology Co.,Ltd

Sales Office Add: Floor 2, Cuihu Qixuan Industrial Park, Xihu Street, Guangming District, Shenzhen

Web: www.cmac-tech.com