



DIGITAL SIGNAGE  
MANUFACTURER

Display your Brand to the World with  
CMAC Digital Signage



GLOBAL DIGITAL SIGNAGE  
PRODUCTS and SOLUTIONS



Since 2010

Shenzhen CMAC Technology Co.,Ltd



At CMAC,

We provide global DIGITAL SIGNAGE  
PRODUCTS and SOLUTIONS

Our mission is "Display your Brand to the World with CMAC Digital Signage.", which make us unique. Within 15 years, our insight has led us to grow from a single factory in China to a growing global network with presence in over 30 countries. Our passion is people—our customers, our team and our partners. Working together. We can positively impact sustainability through our products and solutions. Through intelligence and insights, our focus is on improving the wellbeing of people. Innovation is at the heart of what we do. No matter what the next 15 years will bring, we are on a mission to create "Digital Signage"—Display your Brand to the World with CMAC Digital Signage.  
**Here's to the NEXT10 years!**

## Why CMAC?

We have a product manufacturing base.

We have independent product design ideas and capabilities.

We are an excellent team that dares to break through the routine.


We will provide a full range of product training and technical training.

15+ foreign trade experience local full service content.

# Wall-Mounted LCD AD Display

## N202 Series

## 32"-100"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

## Product Specification

Wall-Mounted LCD AD Display	
LCD size(inch)	32" 43" 50" 55" 65" 75" 85" 98" 100"
Resolution	1366*768/1920*1080/3840*2160
Brightness	300~700cd/m <sup>2</sup> (Typ.)
Backlight	DLED
OS	Andriod
Touch	No
Network	WIFI/RJ45

### More pictures



## D225 Series

## 32"- 98"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control




IR controller

### Product Specification

Ultra-narrow & thin Wall-Mounted AD Display	
LCD size(inch)	32" 43" 50" 55" 65" 75" 85" 98"
Resolution	1920*1080/3840*2160
Brightness	300~700cd/m <sup>2</sup> (Typ.)
Backlight	ELED
OS	Andriod
Touch	No
Network	WIFI/RJ45

### More pictures



# Wall-Mounted AD Display

## D226/D227 Series

## 32"-98"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

## Product Specification

Wall-Mounted AD Display	
LCD size(inch)	32" 43" 50" 55" 65" 75" 85" 98"
Resolution	1920*1080/3840*2160
Brightness	300~700cd/m <sup>2</sup> (Typ.)
Backlight	ELED
OS	Andriod
Touch	Capacitive touch / Infrared touch (optional)
Network	WIFI/RJ45

### More pictures



## D2414 Series

## 32"-86"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

## Product Specification

### High Brightness Window Advertising Machine


LCD size(inch)	32"	43"	55"	65"	75"	86"
Resolution	1920*1080/3840*2160					
Brightness	1000~4000cd/m <sup>2</sup> (Typ.)					
Backlight	DLED/Mini LED (Local dimming)					
OS	Andriod/Windows					
Touch	Capacitiven touch / Infrared touch (optional)					
Network	WIFI/RJ45					

### More pictures



## D2431 Series


## 43"- 100"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

## Product Specification

Wall-Mounted(OPS optional) LCD AD Display								
LCD size(inch)	43"	50"	55"	65"	75"	85"	98"	100"
Resolution	1920*1080/3840*2160							
Brightness	350~1500cd/m <sup>2</sup> (Typ.)							
Backlight	DLED (OD12)							
OS	Andriod/Windows							
Touch	Capacitive touch /Infrared touch (optional)							
Network	WIFI/RJ45							

### More pictures



## D254 Series

## 18.5" - 55"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

## Product Specification

Bathroom TV LCD AD Display							
LCD size(inch)	18.5"	21.5"	24"	32"	43"	50"	55"
Resolution	1920*1080/3840*2160						
Brightness	250~500cd/m <sup>2</sup> (Typ.)						
Backlight	ELED/DLED						
OS	Multiple operating systems(optional configuration)						
Touch	Capacitive touch (optional)						
Network	WIFI/RJ45						

### More pictures



D255 Series

43" - 86"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control




IR controller

## Product Specification

### Fully/Semi Outdoor TV AD Display (Direct /Partial sunlight exposure / no direct sunlight)


LCD size(inch)	43"	55"	65"	75"	86"
Resolution	1920*1080/3840*2160				
Brightness	700~4000cd/m <sup>2</sup> (Typ.)				
Backlight	DLED				
OS	Andriod				
Touch	No				
Network	WIFI/RJ45				

### More pictures



## D258 Series

## 10.1" - 23.8"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

## Product Specification


Compact All-in-One Display									
LCD size(inch)	10.1"	12.1"	13.3"	15.6"	17"	19"	21.5"	23.8"	
Resolution	1366*768/1920*1080								
Brightness	250~2000cd/m <sup>2</sup> (Typ.)								
Backlight	LED								
OS	Andriod								
Touch	Capacitive touch (optional)								
Network	WIFI/RJ45								

### More pictures



F226/F248 Series

43"- 98"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control




IR controller

## Product Specification

Indoor Freestanding LCD AD Display	
LCD size(inch)	43" 55" 65" 75" 86" 98"
Resolution	1920*1080/3840*2160
Brightness	300~4000cd/m <sup>2</sup> (Typ.)
Backlight	ELED/DLED/Mini LED (Local diming)
OS	Andriod/Windows
Touch	Capacitive touch / Infrared touch (optional)
Network	WIFI/RJ45

### More pictures



F254 Series

62"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

## Product Specification

LED Floor-Standing AD Display				
Pixel pitch	P1.53	P1.86	P2	P2.5
Resolution	416*1248/344*1032/320*960/256*768			
Brightness	600~4000cd/m <sup>2</sup> (Typ.)			
Backlight	LED			
OS	/			
Touch	No			
Network	WIFI/RJ45			

### More pictures



F255/F256 Series

43" - 65"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

## Product Specification

Dual-Post Floor-Standing AD Display	
LCD size(inch)	43" 50" 55" 65"
Resolution	1920*1080/3840*2160
Brightness	300~500cd/m <sup>2</sup> (Typ.)
Backlight	ELED
OS	/
Touch	No
Network	WIFI/RJ45

### More pictures



F257 Series

27"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control




IR controller

## Product Specification

Smart Podium AD Display	
LCD size(inch)	27"
Resolution	1920*1080
Brightness	250~400cd/m <sup>2</sup> (Typ.)
Backlight	DLED
OS	Andriod/Windows
Touch	Capacitive touch
Network	WIFI/RJ45

### More pictures



# Curved LCD AD Display

## J/C/S231 Series

## 43" - 75"



Windows/Android



High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control




IR controller

## Product Specification

Curved LCD AD Display					
LCD size(inch)	43"	50"	55"	65"	75"
Resolution	1920*1080/3840*2160				
Brightness	300cd/m <sup>2</sup> (Typ.)				
Backlight	ELED				
OS	Stand-alone/Andriod/Windows				
Touch	Capacitive touch/Infrared touch				
Network	WIFI/RJ45				

### More pictures



OD231 Series

43" - 86"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

## Product Specification

Outdoor Wall-Mount LCD AD Display						
LCD size(inch)	43"	50"	55"	65"	75"	86"
Resolution	1920*1080/3840*2160					
Brightness	1000~4000cd/m <sup>2</sup> (Typ.)					
Backlight	DLED					
OS	Andriod/Windows					
Touch	Capacitive touch (optional)					
Network	WIFI/RJ45					

### More pictures



OF231 Series

43"- 86"



Windows/Android



High definition



Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control




IR controller

## Product Specification

### Outdoor Freestanding LCD AD Display

LCD size(inch)	43"	50"	55"	65"	75"	86"
Resolution	1920*1080/3840*2160					
Brightness	1000~4000cd/m <sup>2</sup> (Typ.)					
Backlight	DLED					
OS	Andriod/Windows					
Touch	Capacitive touch (optional)					
Network	WIFI/RJ45					

#### More pictures



P215 Series

32" - 55"



Windows/Android



High definition



Split screen



Network



Bluetooth



Stereo audio



Customizable



Touch



Remote control





IR controller

## Product Specification

Indoor A-Boards LCD AD Display			
LCD size(inch)	32"	43"	55"
Resolution	1920*1080/3840*2160		
Brightness	300~700cd/m <sup>2</sup> (Typ.)		
Backlight	ELED/DLED		
OS	Andriod		
Touch	Capacitive touch (optional)		
Network	WIFI/RJ45		

### More pictures



P22 Series

43"- 65"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

## Product Specification

### LCD Vedio Wall

LCD size(inch)	43"	46"	49"	55"	65"
Resolution	1920*1080/3840*2160				
Brightness	500~700cd/m <sup>2</sup> (Typ.)				
Backlight	DLED				
OS	/				
Touch	No				
Network	WIFI/RJ45				

#### More pictures



W231 Series

55"-110"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

## Product Specification

Conference Interactive Flat Panel						
LCD size(inch)	55"	65"	75"	85"	98"	110"
Resolution	1920*1080/3840*2160					
Brightness	350~500cd/m <sup>2</sup> (Typ.)					
Backlight	DLED					
OS	Andriod/Windows					
Touch	Infrared touch (optional)					
Network	WIFI/RJ45					

## More pictures



# Tabletop Ordering AD Display

## X242 Series

## 18.5" - 23.8"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

## Product Specification

Tabletop Ordering AD Display				
LCD size(inch)	18.5"	21.5"	23.8"	
Resolution	1920*1080/3840*2160			
Brightness	700~900cd/m <sup>2</sup> (Typ.)			
Backlight	DLED			
OS	Andriod			
Touch	No			
Network	WIFI/RJ45			

## More pictures



X251 Series

43.8"



Windows/Android



High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

## Product Specification

### Outdoor LED Bar Screen AD Display

LCD size(inch)	43.8"
Resolution	3840*2160
Brightness	2500cd/m <sup>2</sup> (Typ.)
Backlight	LED
OS	Andriod
Touch	No
Network	WIFI/RJ45

### More pictures



## F261 Series

## 30"-55"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control




IR controller

## Product Specification

OLED Transparent Screen Display	
LCD size(inch)	30" 55"
Resolution	1366*768/1920*1080
Brightness	350~600cd/m <sup>2</sup> (Typ.)
Backlight	NO
OS	Andriod/Windows
Touch	Infrared touch (optional)
Network	WIFI/RJ45

## More pictures



F262 Series

21.5"-86"



Windows/Android




High definition




Split screen



Network



Bluetooth




Stereo audio



Customizable



Touch



Remote control



IR controller

## Product Specification

LCD Transparent Screen Display	
LCD size(inch)	21.5" 55" 75" 86"
Resolution	1920*1080/3840*2160
Brightness	150~400cd/m <sup>2</sup> (Typ.)
Backlight	LED
OS	Andriod/Windows
Touch	Infrared touch (optional)
Network	WIFI/RJ45

### More pictures



# CHINA CMAC

TALK TO US  
ABOUT  
YOUR NEXT PROJECT



**Shenzhen CMAC Technology Co.,Ltd**

Sales Office Add:Floor 2,Cuihu Qixuan Industrial Park,Xinhu Street,Guangming District,Shenzhen

Web:[www.cmac-tech.com](http://www.cmac-tech.com)